

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MICHIGAN COMPLIANCE CERTIFICATE.

PRODUCED: JAN 30, 2023

SAMPLE: RASPBERRY HONEYSUCKLE - 5MG THC (EDIBLE LIQUID) // **CLIENT:** HAPPY // **BATCH:** PASS



MATRIX: EDIBLE LIQUID
SAMPLE ID: CAM-230126-043
COLLECTED ON: JAN 26, 2023
RECEIVED ON: JAN 26, 2023
SAMPLE SIZE: 8 UNITS
PACKAGE SIZE: 220 G
CO2: 2.29 VOL
O2: 1221 PPB

CANNABINOID OVERVIEW

Δ⁹-THC: 4.58 mg/pkg
CBG: 0.152 mg/pkg
TOTAL CANNABINOIDS: 4.73 mg/pkg

BATCH RESULT: PASS

POTENCY: PASS
PH: TESTED

POT-01: CANNABINOID POTENCY ANALYSIS BY HPLC-DAD // JAN 30, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (µg/g)	PASS/FAIL
CBC		ND	ND	0.0517/0.172	N/A	Δ ⁹ -THC	0.00208 %	0.0208 mg/g	0.0208 mg/g	0.102/0.340	N/A
CBD		ND	ND	0.109/0.363	N/A	THCA		ND	ND	0.0883/0.294	N/A
CBDA		ND	ND	0.142/0.474	N/A	THCV		ND	ND	0.0699/0.233	N/A
CBDV		ND	ND	0.0673/0.224	N/A	TOTAL THC **	0.00208 %	0.0208 mg/g			N/A
CBG	0.0000690 %	0.00069 mg/g	0.00069 mg/g	0.0576/0.192	N/A	TOTAL CBD **		ND	ND		N/A
CBGA		ND	ND	0.0328/0.109	N/A	CBD/PKG		ND			N/A
CBN	< LOQ	< LOQ	< LOQ	0.0848/0.283	N/A	Δ⁸-THC/PKG		ND			PASS
Δ ⁸ + Δ ⁹ -THC	0.00208 %	0.0208 mg/g	0.0208 mg/g		N/A	Δ⁹-THC/PKG		4.58 mg			N/A
Δ ⁸ -THC	10 %	ND	ND	0.0578/0.193	PASS	Δ⁸ + Δ⁹-THC/PKG		4.58 mg			PASS

** TOTAL THC = DELTA-8-THC + DELTA-9-THC + (THCA X 0.877)

** TOTAL CBD = CBD + (CBDA X 0.877)

THIS REPORT MAY NOT BE REPRODUCED EXCEPT IN FULL WITHOUT APPROVAL FROM CAMBIUM ANALYTICA. THE RESULTS HEREIN RELATE ONLY TO THE SAMPLE & BATCH IDENTIFIED IN THIS REPORT



RESULTS CERTIFIED BY: VERNON LALONE
 LABORATORY DIRECTOR, CAMBIUM ANALYTICA
 JAN 30, 2023



RESULTS CERTIFIED BY: DOUGLAS SMITH
 CHIEF SCIENTIST, CAMBIUM ANALYTICA
 JAN 30, 2023



ANALYTE	AMT (pH)	PASS/FAIL
PH	3.360 pH	N/A


ACCREDITATIONS



ILAC-MRA

ILAC-MRA, PJLA ACCREDITED

POT-01: CANNABINOID POTENCY ANALYSIS BY HPLC-DAD
CBD, CBDA, DELTA-9-THC, THCA, CBDV, THCV, CBG, CBGA,
CBN, DELTA-8-THC, CBC, DELTA-8 + DELTA-9-THC, TOTAL CBD,
TOTAL THC



ISO/IEC 17025

** FOR QUALITY ASSURANCE PURPOSES. NOT A MICHIGAN COMPLIANCE CERTIFICATE.*



ANALYZED BY:

 Anresco Laboratories
 1375 Van Dyke Avenue,
 San Francisco, CA 94124
 C8-0000052-LIC

MANUFACTURER:

 Vertosa Wellness LLC
 1630 N Main St Ste 363
 Walnut Creek, CA 94596

SAMPLE INFORMATION
Sample No.: 1146621
Product Name: HTD-O3-VWD121901
Matrix: Concentrate (Emulsion)

Date Collected: 12/19/2022
Date Received: 12/19/2022
Date Reported: 12/27/2022

TEST SUMMARY

Cannabinoid Profile:	✔ Tested	Microbiological Screen:	✔ Tested
Pesticide Residue Screen:	✔ Pass	Residual Solvent Screen:	✔ Pass
Heavy Metal Screen:	✔ Pass	Mycotoxin Screen:	✔ Pass

Cannabinoid Profile

12/22/2022

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection: 0.0667 mg/g
Limit of Quantification: 0.2 mg/g

Cannabinoid	mg/g	%
Δ8-THC	ND	ND
Δ9-THC	32.89	3.289
Δ9-THCA	ND	ND
THCV	0.20	0.020
THCVA	ND	ND
CBD	<LOQ	<LOQ
CBDA	ND	ND
CBC	<LOQ	<LOQ
CBCA	ND	ND
CBDV	ND	ND
CBG	0.96	0.096
CBGA	ND	ND
CBN	<LOQ	<LOQ
Total THC	32.89	3.289
Total CBD	ND	ND
Total Cannabinoids	34.05	3.405
Sum of Cannabinoids	34.05	3.405

Total THC = Δ9-THC + (0.877 * Δ9-THCA)
 Total CBD = CBD + (0.877 * CBDA)
 Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen

12/22/2022

Analyte	Findings	Units	Method
Standard Plate Count	30	cfu/g	FDA BAM
Yeast	<10	cfu/g	AOAC 2014.05
Mold	<10	cfu/g	AOAC 2014.05
Coliforms	<10	cfu/g	FDA BAM - ECC AGAR
Escherichia coli	<10	cfu/g	FDA BAM - ECC AGAR
Salmonella	Negative	/1g	AOAC 2016.01

Pesticide Residue Screen ✔ Pass

12/22/2022

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.02/0.06	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.02/0.06	ND	0.02	Pass
DDVP (Dichlorvos)	0.02/0.06	ND	0.02	Pass
Diazinon	0.02/0.06	ND	0.2	Pass
Dimethoate	0.02/0.06	ND	0.02	Pass
Dimethomorph	0.02/0.06	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.02/0.06	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06	ND	0.02	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.02/0.06	ND	0.02	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

Residual Solvent Screen ✔ Pass

12/27/2022

Method: USP OVI<467>

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	1	Pass
Acetone	67/200	<LOQ	5000	Pass
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	1	Pass
n-Butane	67/200	ND	5000	Pass
Chloroform	0.2/0.5	ND	1	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	67/200	ND	5000	Pass
Ethyl ether	67/200	ND	5000	Pass
Ethylene oxide	0.2/0.5	ND	1	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	5000	Pass
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	1	Pass
n-Pentane	67/200	ND	5000	Pass
Propane	67/200	ND	5000	Pass
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	1	Pass

Heavy Metal Screen ✔ Pass

12/22/2022

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

Mycotoxin Screen ✔ Pass

12/22/2022

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/20	ND	20	Pass

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by




 Vu Lam
 Lab Co Director


Scan to verify

Residual Solvent Screen ✔ Pass

08/16/2023

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	1	Pass
Acetone	67/200	ND	5000	Pass
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	1	Pass
n-Butane	67/200	ND	5000	Pass
Chloroform	0.2/0.5	ND	1	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	67/200	ND	5000	Pass
Ethyl ether	67/200	ND	5000	Pass
Ethylene oxide	0.2/0.5	ND	1	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	5000	Pass
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	1	Pass
n-Pentane	67/200	ND	5000	Pass
Propane	67/200	ND	5000	Pass
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	1	Pass

Heavy Metal Screen ✔ Pass

08/16/2023

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

Mycotoxin Screen ✔ Pass

08/16/2023

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/20	ND	20	Pass

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by




 Vu Lam
 Lab Co Director


Scan to verify