

## CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MICHIGAN COMPLIANCE CERTIFICATE.

PRODUCED: AUG 07, 2023

**SAMPLE:** RASPBERRY HONEYSUCKLE - 5MG THC PER 7.5 FL. OZ (EDIBLE LIQUID) // **CLIENT:** HAPPI // **BATCH:** PASS



**MATRIX:** EDIBLE LIQUID  
**SAMPLE ID:** CAM-230802-108  
**COLLECTED ON:** AUG 02, 2023  
**RECEIVED ON:** AUG 02, 2023  
**SAMPLE SIZE:** 4 UNITS



**BATCH RESULT:** PASS

**MICROBIAL** PASS

THIS REPORT MAY NOT BE REPRODUCED EXCEPT IN FULL WITHOUT APPROVAL FROM CAMBIUM ANALYTICA. THE RESULTS HEREIN RELATE ONLY TO THE SAMPLE & BATCH IDENTIFIED IN THIS REPORT



**RESULTS CERTIFIED BY:** VERNON LALONE  
LABORATORY DIRECTOR, CAMBIUM ANALYTICA  
AUG 07, 2023



**RESULTS CERTIFIED BY:** DOUGLAS SMITH  
CHIEF SCIENTIST, CAMBIUM ANALYTICA  
AUG 07, 2023



### COL-027: TOTAL COLIFORMS // AUG 04, 2023

ANALYTE	LIMIT	AMT (CFU/g)	PASS/FAIL
COLIFORMS	100 CFU/g	ND	PASS

### ASP-029: ASPERGILLUS SPP. // AUG 04, 2023

ANALYTE	LIMIT	AMT (CFU/g)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amount in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amount in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amount in 1 gram	ND	PASS

ANALYTE	LIMIT	AMT (CFU/g)	PASS/FAIL
ASPERGILLUS SPP.	Any amount in 1 gram	ND	PASS
ASPERGILLUS TERREUS	Any amount in 1 gram	ND	PASS

### SAL-030: SALMONELLA // AUG 04, 2023

ANALYTE	LIMIT	AMT (CFU/g)	PASS/FAIL
SALMONELLA SPP.	Any amount in 1 gram	ND	PASS

### STEC-030: SHIGA TOXIN PRODUCING E. COLI // AUG 04, 2023

ANALYTE	LIMIT	AMT (CFU/g)	PASS/FAIL
---------	-------	-------------	-----------

SHIGA TOXIN-PRODUCING E. COLI

Any amount in 1 gram

ND PASS

**TYM-014, TYM-028: TOTAL YEAST AND MOLD // AUG 07, 2023**

ANALYTE	LIMIT	AMT (CFU/g)	PASS/FAIL
YEAST & MOLD	10000 CFU/g	ND	PASS

**PRODUCT IMAGES**



\* FOR QUALITY ASSURANCE PURPOSES. NOT A MICHIGAN COMPLIANCE CERTIFICATE.



[https://lims.tagleaf.com/coa\\_/okBG73m7li](https://lims.tagleaf.com/coa_/okBG73m7li)

**ANALYZED BY:**

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
C8-000052-LIC

**DISTRIBUTOR:**

Harold Han  
675 Hegenberger Road Suite 120  
Pleasanton 94621

**MANUFACTURER:**

Vertosa Wellness LLC  
1630 N Main St Ste 363  
Walnut Creek, CA 94596



**SAMPLE INFORMATION**

**Sample No.:** 1155918  
**Product Name:** HTM-O3-VWE040401  
**Matrix:** Concentrate (Emulsion)

**Date Collected:** 04/04/2023  
**Date Received:** 04/05/2023  
**Date Reported:** 04/10/2023

**TEST SUMMARY**

**Cannabinoid Profile:** ✔ Tested  
**Pesticide Residue Screen:** ✔ Pass  
**Heavy Metal Screen:** ✔ Pass  
**Microbiological Screen:** ✔ Tested  
**Residual Solvent Screen:** ✔ Pass  
**Mycotoxin Screen:** ✔ Pass

**Cannabinoid Profile**

04/07/2023

**Method:** MF-CHEM-15  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection** 0.0667 mg/g  
**Limit of Quantification** 0.2 mg/g

Cannabinoid	mg/g	%
Δ8-THC	3.34	0.334
Δ9-THC	31.46	3.146
Δ9-THCA	ND	ND
THCV	0.24	0.024
THCVA	ND	ND
CBD	<LOQ	<LOQ
CBDA	ND	ND
CBC	0.31	0.031
CBCA	ND	ND
CBDV	ND	ND
CBG	1.00	0.101
CBGA	ND	ND
CBN	0.92	0.092
Total THC	31.46	3.146
Total CBD	ND	ND
Total Cannabinoids	37.28	3.728
Sum of Cannabinoids	37.28	3.728

Total THC = Δ9-THC + (0.877 \* Δ9-THCA)  
Total CBD = CBD + (0.877 \* CBDA)  
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

**Microbiological Screen**

04/10/2023

Analyte	Findings	Units	Method
Standard Plate Count	<10	cfu/g	FDA BAM
Yeast	<10	cfu/g	AOAC 2014.05
Mold	<10	cfu/g	AOAC 2014.05
Coliforms	<10	cfu/g	FDA BAM - ECC AGAR
Escherichia coli	<10	cfu/g	FDA BAM - ECC AGAR
Salmonella	Negative/1g	-	AOAC 2016.01

**Pesticide Residue Screen** ✔ Pass

04/07/2023

**Method:** MF-CHEM-13  
**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.02/0.06	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.02/0.06	ND	0.02	Pass
DDVP (Dichlorvos)	0.02/0.06	ND	0.02	Pass
Diazinon	0.02/0.06	ND	0.2	Pass
Dimethoate	0.02/0.06	ND	0.02	Pass
Dimethomorph	0.02/0.06	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.02/0.06	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06	ND	0.02	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.02/0.06	ND	0.02	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

**Residual Solvent Screen** ✔ Pass

04/07/2023

**Method:** MF-CHEM-32

**Instrument:** Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	1	Pass
Acetone	67/200	ND	5000	Pass
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	1	Pass
n-Butane	67/200	ND	5000	Pass
Chloroform	0.2/0.5	ND	1	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	67/200	ND	5000	Pass
Ethyl ether	67/200	ND	5000	Pass
Ethylene oxide	0.2/0.5	ND	1	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	5000	Pass
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	1	Pass
n-Pentane	67/200	ND	5000	Pass
Propane	67/200	ND	5000	Pass
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	1	Pass

**Heavy Metal Screen** ✔ Pass

04/07/2023

**Method:** MF-CHEM-16

**Instrument:** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

**Mycotoxin Screen** ✔ Pass

04/07/2023

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/20	ND	20	Pass

(-) = Not Tested, ND = None Detected, &lt;LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by




 Vu Lam  
 Lab Co Director


Scan to verify